Stye

Diagnosis

- ❖ Usually begins <u>as tender red lump on eyelid</u> sometimes with central yellowish collection of pus, the eyelid may be swollen & painful yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish collection of pus, the eyelid may be swollen appropriate yellowish appropriate
- External stye is the main type, it occur along the edge of the eyelid Internal stye is less common and occur inside eyelid

<u>معظم الحالات</u> بتيجي على طرف الجفن عند بصيلات الرموش <u>بعض الحالات</u> بتيجي داخل الجفن بعيدا عن بصيلات الموش

Stye usually grows rapidly
& release pus within 3-4 days & resolve within a week
غالباً بتتطور بسرعة و تتحسن فى خلال أسبوع

Treatment

- 1. Cleansing تغسل الجفون <u>بشامبو جونسون للأطفال مخفف</u> لتنظيفها و ازالة القشور
- 2. Warm compresses كمادات مياة دافية لمدة ربع ساعة ٣ مرات يومياً
- 3. Antibiotic steroids Eye drops & ointments
 - Eye drops
 Tobradex E.D

قطرة للعين ٤ مرات يومياً لمدة أسبوع

Eye ointments

Tobradex E.O

Terracortil E.O

مرهم على الجفن ٣ مرات يومياً لمدة أسبوع

4. Oral antibiotic

Augmentin 1 gm tab

قرص كل ١٢ ساعة لمدة ٥ أيام

If no improvement within 3-4 days or lesion is large

تحول الحالة الى عيادة الرمد (قد تحتاج الى تدخل جراحي)

Chalazion

Diagnosis

Chalazion may be mistaken for a stye but it's characterized by:

التفرقة بين الحالتين صعبة في كثير من الأحيان لكن أهم الفروق هي

Usually a hard mass inside eyelid

معظم الحالات تكون بداخل الجفن بعيدة عن الرموش

Usually painless

غالبأ يكون غير مؤلم

Grow slowly and resolve within months

غالباً بتاخد وقت طويل على ما تكبر و بتتحسن في خلال شعور

Treatment

يفضل تحويل الحالة لأخصائي الرمد